

ACCESS SIT



196205 ACCESS SIT

TECHNICAL SHEET

A robust sit harness specifically developed for long periods of suspension.
The waist belt and leg loops are made of ergonomic thermoformed padding to offer broad structural support and are connected by optimally spaced connection straps that give the harness a precise and comfortable fit. Patented ventral attachment features two loops: the upper loop is for attaching a chest harness and chest ascender and the lower loop holds the ventral D-ring for attaching lanyards and rope tools. Patented STS automatic buckles on the leg loops. 3 aluminum alloy attachment points: 1 ventral for suspension and 2 side for positioning and restraint. Designed for use in combination with the GT Chest (ref.216601), with front and back connection points, to make a full body fall arrest harness. 2 sizes.

ROPE ACCESS



ACCESS SIT + GT CHEST



196205+216601
CE EN 361

Ref.	Product name Nombre del producto	Size Tallas	Weight Peso		Waist Cintura	Legs Perneras	CE		EAC	Attachment points Puntos de anclaje
			g	oz	B (cm)	C (cm)	EN 358	EN 813		
196205	ACCESS SIT	S-L	1500	52.9	80-120	50-65	•	•	•	
		L-XXL	1570	55.4	90-140	60-75				

196205 **ACCESS SIT**

ACCESS SIT



- ① New aluminium alloy ring for ventral attachment point, EN 813 certified. Patented ventral attachment features two loops: the upper loop is for attaching a chest harness and chest ascender and the lower loop holds the ventral D-ring for attaching lanyards and rope tools.
- ② New aluminium alloy positioning ring, EN 358 certified.
- ③ The innovative connection between the waist belt and leg loops makes the sit harness comfortable both during suspension and on the ground.
- ④ Patented STS automatic buckles on the leg loops.
- ⑤ New easy-to-adjust buckles made from carbon steel.
- ⑥ Patented "Sicura" buckles for fastening "Access Swing" Ref.1963.
- ⑦ Polyester belt webbing, 44 mm wide.
- ⑧ Polyester leg-loop webbing, 33 mm wide.
- ⑨ Reinforced webbing on the webbing leg-loop connection.
- ⑩ Triple-layer belt padding: comfortable 3D mesh inside. Additional rigid foam on back load areas.
- ⑪ Double density leg-loops padding: stiffer on the back for load support, softer on the groin area for comfort. 3D mesh inside. Large contact area for pressure distribution.
- ⑫ Back leg-loops connection webbings adjustable in length.
- ⑬ Buckle for "GT Chest" fastening.
- ⑭ Webbing system for fastening "HUB" ref.0910 gear-carabiner (supplied separately).
- ⑮ Two large side gear loops.
- ⑯ Back gear loop.
- ⑰ One gear loop on each leg-loop.
- ⑱ Two small side gear loop.
- ⑲ Two side metal gear rings.
- ⑳ Webbing back loop for "First Aid Kit" fastening.
- ㉑ Webbing loop for "Access Swing" fastening when not in use.

ACCESS SIT + GT CHEST 196205 + 216601

GT CHEST

- ① New fall arrest aluminium alloy rings (front and back) certified according EN 361, suitable for the connection of a shock absorbing lanyard or a fall arrest device.
- ② The structure and padding have been shaped for optimal ergonomics, especially on the neck.
- ③ Triple-layer padding: comfortable 3D mesh, robust intermediate foam, external protective mesh.
- ④ Polyester webbings, 44 mm wide.
- ⑤ New carbon steel buckles for fast adjustment.
- ⑥ Patented "HMS Belay Lock" ref.1176 connector, equipped with anti-rotation lever. Detachable. Made of aluminium alloy. To be connected to the sit harness "Access Sit".
- ⑦ Back connection system to "Access Sit".
- ⑧ Webbing system for chest ascender fastening.



Ref.	Product name Nombre del producto	Size Tallas	Weight Peso		Height Altura	CE	EAC	Attachment points Puntos de anclaje
			g	oz				
216601	GT CHEST	S-L	610	21.5	55-75	EN 361	.	.
		L-XXL	650	22.9	65-85			

