

2167 SWIFTY LIGHT

A basic, lightweight full body harness featuring the new STS automatic buckles on the leg loops which make the harness very quick and easy to put on, take off, and adjust.

Steel components. Two gear loops.

The Easy Belt (ref.1268) can be attached for work positioning.

2 attachment points: 1 front, 1 back.

One size fits all.

CE EN 361


CONSTRUCTION

ROOFS


PLATFORMS



1000



SIZE	A (cm)	C (cm)	D (cm)
ONE SIZE	80-140	45-75	55-85



● = Attachment points for fall arrest





"SWIFTY LIGHT" - Ref.2167

- ① "A/2" Fall arrest attachment point with identification label. Strength > 15 kN.
- ② Main webbing made from polyester, 44 mm wide. Double colour for a easy identification of chest part and leg-loops.
- ③ Fast adjustment steel buckles.
- ④ Chest fastening plastic buckle.
- ⑤ High strength stitchings made of polyamid thread.
- ⑥ Two side gear loops, 10kg Max.
- ⑦ Side crossing plate for improved size adjustment.
- ⑧ CE label with serial number and batch number.
- ⑨ New "STS" automatic buckles (see pag.3).
- ⑩ Back fall-arrest D ring made of zinc plated steel, fastened by a plastic plate. Strength > 15 kN
- ⑪ Polyester webbing that avoids the leg-loops to slide down during work activities.



STS Automatic Buckle

New patented "STS" (Slide-Twist-Slide) automatic buckle, is the first triple safety closure with no buttons.

The STS buckle is manufactured by precision casting of stainless steel to guarantee maximum safety and incomparable robustness.



Technical informations

