

Ref.266203 ACCESS ANSI BLACK

ROPE ACCESS

The Access ANSI is our most robust and supportive rope access harness designed for long periods of suspension.

The waist belt and leg loops are made of ergonomic thermoformed padding to offer broad structural support and are connected by optimally spaced connection straps that give the harness a precise and comfortable fit.

Patented ventral attachment features two loops: the upper loop is for attaching a chest harness and chest ascender and the lower loop holds the ventral D-ring for attaching lanyards and rope tools. Supplied with a 3Lock steel carabiner with removable anti-rotation pin. Equipped with a keeper strap for securing a chest ascender in a streamlined way.

Patented ANSI STS automatic buckles on the leg loops.

Certified break-away parking loops for lanyards on the shoulders.

6 aluminum alloy attachment points:

1 sternal and 1 dorsal for fall arrest with certified load indicators,

1 ventral for suspension, 2 side and 1 back for positioning and restraint.

2 sizes.



Ref.	Product name Nombre del producto	Size Tallas	Weight Peso		Waist Cintura	Legs Perneras	Height Altura	CE			ANSI	Attachment points Puntos de anclaje
			g	oz	B (cm)	C (cm)	D (cm)	EN 358	EN 361	EN 813	Z359.11	
266203	ACCESS ANSI BLACK	S-L	2680	94.6	80-120	50-65	55-75	•	•	•	•	
		L-XXL	2800	98.8	90-135	60-75	65-85	•	•	•	•	

Ref.266203 **ACCESS ANSI BLACK**



1. Patented ventral attachment features two loops: the upper loop is for attaching a chest harness and chest ascender and the lower loop holds the ventral D-ring for attaching lanyards and rope tools.

2. The waist belt and leg loops are made of ergonomic thermoformed padding to offer broad structural support and are connected by optimally spaced connection straps that give the harness a precise and comfortable fit.

3. Six aluminum alloy attachment points:
1 sternal and 1 dorsal for fall arrest with certified load indicators, 1 ventral for suspension, 2 side and 1 back for positioning and restraint.

4. Load indicators stitching.

5. Certified break-away loops for lanyards on the shoulders.

6. Patented ANSI STS automatic buckles on the leg loops.

7. Steel buckles for belt and chest adjustment.

8. Double density leg-loops padding: stiffer on the back for load support, softer on the groin area for comfort. 3D mesh inside. Large contact area for pressure distribution.

9. Back leg-loops connection webbings adjustable in length.

10. Polyester webbing, 44 mm wide.

11. Webbing system for fastening "HUB" ref.0910 gear-carabiner (supplied separately).

12. Large side gear loops.

13. Keeper strap for securing a chest ascender in a streamlined way.

14. 3Lock steel carabiner with removable anti-rotation pin.

15. Patented "Sicura" buckles for fastening "Access Swing" Ref.1963.



LANYARD PARKING



FALL INDICATOR