

QUADPOD - heavy duty

ATR4

Four legged anchor device for high stability and use over trenches.

Features:

- Robust construction
- High maximum height
- 2 fixed attachment points
- 2 swivel attachment points
- 4 guying attachments
- Head locking point for legs
- Two section telescopic legs
- High visibility label

Box profile aluminium legs with steel head stock construction gives a rigid, durable product.

Four attachment points enables multiple users and flexibility during use e. g. for attachment of separate suspension and backup systems.

Swivel attachments will self orientate connectors to correct alignment.

Guying attachments give added stabilisation.

Head locking points allow the legs to be locked in place so that the tripod can be erected in a safe area and then moved easily into position.

Two section legs allows compact storage.

Height max 2.31m - min 1.6m

Distance between opposite feet max 2.06m - min 1.4m

Stowed 1.75m, 0.70m circumference



Specifications:

NB: specifications and colour may change without notice.

Size: Height max 2.31m - min 1.6m

EN Test Mass: n/a

Loading: WLL 300kg with 10:1 safety factor, assuming stable, level surface. This is maximum load for the device and may be applied through one attachment point or combination of all four.

Conformity: EN795(B)

Materials: Steel headstock stainless steel fittings and alloy legs.

Weight (kg): 26.00

Industries: Confined space rescue