United Kingdom Partners | Where To Buy





Product Family Miller TWIN TURBO System

New patent-pending Twin Turbo D-Ring Connector easily adapts two lightweight Miller TurboLite Personal Fall Limiters (PFLs) for continuous 100% tie-off fall protection.

Miller Logo

Product Numbers & Ordering Information

Product Numbers	Details
1029715	Twin turbo D-Ring connector Connector easily adapts two lightweight Miller turbolite.
1029716	Twin Turbo System kit Kit which includes a twin connector and two lightweight Miller turbolite ref 1018013.

Packaging Information

The Twin Turbo System kit is completely assembled with two turbolite ref 1018013.

Overview

Key Features

- Replacement for double-legged shock-absorbing lanyards
- Innovative design that easily connects to the back D-ring of any fall protection harness Increases worker productivity and versatility with freedom of movement less restrictive than other units on the market
- Permits TurboLite PFLs to swivel in multiple directions for greater mobility; the swivel action prevents webbing from twisting and binding inside of the unit
- Webbing payout smoothly extends/retracts without interruption
- Easy-to-use and assemble/disassemble
- Adapts to most Miller TurboLite PFL models

Recommended Industries/Use

Construction
 Oil and Gas
 Wind Energy

Hazards

• Fall from height

Regulations

- EN 362 -
- OSHA 1926.502, 1910.66 -
- ANSI Z359-2007 & A 10.32 -
- CSA Z259.12-01 -

Warranty Information

Our state of the art equipment provides the critical tool for worker protection, combining mobility with unsurpassed comfort.

At our ISO 9001 certified manufacturing facilities in Europe, we ensure that every Miller product is made in accordance with the standards and meets your exacting requirements.

Literature & Documents

i297 - Miller Twin Turbo (EUR)

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/41650/1033.aspx

instruction manual

Training & Proper Use

Sperian Protection consider training to be a central part of their global fall protection offer and propose a complete range of technical fall protection and rescue training courses.

More information about the training...

Technical Support

Miller Techniserv

Northern and Central Europe

Phone: +49 (0) 9281/8302-205

Email: techniservnorth.hsp@honeywell.com

Southern Europe, UK, Ireland


Phone: +33 (0)2 48 52 40 42

Email: techniserv.hsp@honeywell.com



Page 2 of 3 © Honeywell International Inc.

Miller TWIN TURBO System (EUR)



© Honeywell International Inc.