

Data sheet

ARG 31 SKYFIZZ





GENERAL

| Art. no.: | G-0031-M/L | E-class number: | 40-02-01-02 |
|-----------|---------------|-----------------|-------------|
| EAN: | 4030281109969 | Customs no.: | 63079098 |
| Standard: | EN 361:2002 | | |



Data sheet

ARG 31 SKYFIZZ

The ARG 31 SKYFIZZ is the further development of the ARG 30. The harness is ideal for work without positioning ropes, tools or other aids.

It has an extremely resilient front and rear suspension eyelet made from robust steel, thus meeting international standards. The central chest eyelets sit perfectly against the body, thanks to the individual adjustment settings. The comfortable back padding makes it easy to put on the harness, distributes the load evenly and is breathable.

The crossed harness straps are sewn on to the back padding and distribute the load perfectly. Due to quick locks, it is easier to put on and handling the harness.

The double-coated and firmly sewn belt ends prevent the harness from slipping.

FEATURES

Fall indicator

| Shoulder or leg padding: | yes | | | |
|---|----------------------|--|--|--|
| Hand-washing: | 40 °C | | | |
| Click buckles: | yes | | | |
| Max. service life: | 10 Years | | | |
| Max. number of persons: 1 | | | | |
| Attachment Points: | | | | |
| dorsal attachment point, sternal attachment point | | | | |
| Temperature: | from 45 °C to -35 °C | | | |
| Area of application: | | | | |
| Construction / Roofer / Carpenter | | | | |

DIMENSIONS

| Size: | M/L |
|-------------|----------|
| Waist size: | 80-100cm |
| Weight: | 2,04 kg |



MATERIAL

| Material: | Polyester, Steel | |
|-----------------------------------|------------------|--|
| Webbing material: | Polyester | |
| Sternal attachment poir | nt material: | |
| Steel | | |
| Dorsal attachment point material: | | |
| Steel | | |
| Material Click buckle: | Aluminium | |