

Data sheet

SIRRO 2



GENERAL

| | |
|-----------|---------------|
| Art. no.: | G-0802-L/XL |
| EAN: | 4030281130918 |
| Standard: | EN 361:2002 |

| | |
|-----------------|-------------|
| E-class number: | 40-02-01-02 |
| Customs no.: | 63079098 |

Data sheet

SIRRO 2

When you are looking for an extremely low-weight full-body harness, without compromising on wearing comfort, SIRRO 2 is YOUR full-body harness! It is a reduced version of SIRRO, the comfortable and already low-weight SKYLOTEC full-body harness system. It has two fastening points: a rear fastening eyelet and a front fastening loop. This is what makes the harness even lighter than the regular SIRRO, while still providing maximum wearing comfort. SIRRO 2 is an ideal full-body harness for all working situations where holding eyelets are not needed and low-weight comfort is valuable.

FEATURES

| | |
|--------------------------|---|
| Shoulder or leg padding: | yes |
| Hand-washing: | 40 °C |
| Click buckles: | yes |
| Max. service life: | 10 Years |
| Max. number of persons: | 1 |
| Attachment Points: | dorsal attachment point, sternal attachment point |
| Patent | |
| Temperature: | from 45 °C to -35 °C |
| Area of application: | Confined Spaces, Facade / Window Cleaning, High Rack, Lift Construction, Power Supplies / - Transmission / Telecommunications |

DIMENSIONS

| | |
|-------------|----------|
| Size: | L/XL |
| Waist size: | 90-130cm |
| Weight: | 1,1 kg |

MATERIAL

Material:

Polyester, Polyamide, Aluminium

Webbing material: Polyester, Polyamide

Sternal attachment point material:

Polyester

Dorsal attachment point material:

Polyamide

Material Click buckle: Aluminium
