

Data sheet

CS 8



GENERAL

Art. no.:	G-0908
EAN:	4030281100959
Standard:	EN 358:2018 EN 361:2002 EN 813:2008

E-class number:	40-02-01-02
Customs no.:	63079098

Data sheet

CS 8

The CS 8 is an absolute all-round harness. It is suitable for rope access, scaffolding, rescue and wind turbine work. It has two lateral holding eyes, a back eyelet, a chest eyelet and a seat belt eyelet. Its hip and leg pads make it comfortable to wear even when sitting in the harness for long periods of time and it can be perfectly adapted to the wearer's body thanks to the adjustable buckles.

- All-round harness for many applications
- Hip and leg pads for comfortable wearing
- Perfectly adaptable to the body of the wearer

FEATURES

Shoulder or leg padding: yes

Hand-washing: 40 °C

Gear loop: yes

Max. service life: 10 Years

Max. number of persons: 1

Attachment Points:

dorsal attachment point, sternal attachment point, pole strap attachment point, seat attachment point

Back support: yes

Temperature: from 45 °C to -35 °C

Area of application:

Fire brigade / Rescue / Special Forces, Power Supplies / -Transmission / Telecommunications, Rope Access / Rigging, Scaffolding, Wind Energy / Offshore Industry

Tool loop: yes

DIMENSIONS

Size:	UNISIZE
Waist size:	85-150cm
Weight:	1,7 kg

MATERIAL

Material:	Polyester, Steel
Webbing material:	Polyester
Sternal attachment point material:	Polyester
Pole strap attachment point material:	Steel
Dorsal attachment point material:	Steel
Seat attachment point material:	Steel