

Data sheet

SPIRE



GENERAL

Art. no.: G-1120-XXL/5XL

EAN: 4030281207917

Standard: EN 358:1999
EN 361:2002

E-class number: 40-02-01-02

Customs no.: 63079098

Data sheet

SPIRE

The safety harness SPIRE developed especially for overhead power line and overhead-contact system construction approved for 140 kg impresses with fall arresting loops in the chest area and an extremely sturdy pelvic restraint that does not affect the comfort in the slightest. Thanks to its construction with free belt strap guide in the pelvic area, the belt is ultra-lightweight and comfortable, yet offers a variety of loops for materials and tools. The workhorse among safety harnesses!

FEATURES

Shoulder or leg padding:	yes
Hand-washing:	40 °C
Gear loop:	yes
Max. service life:	10 Years
Max. number of persons:	1
Rated load:	140 KG
Attachment Points:	dorsal attachment point, sternal attachment point, pole strap attachment point
Back support:	yes
Temperature:	from 45 °C to -35 °C
Area of application:	Power Supplies / -Transmission / Telecommunications
Tool loop:	yes

DIMENSIONS

Size:	XXL/5XL
Waist size:	90-130cm
Weight:	2,06 kg

MATERIAL

Material:	Polyester, Steel
Webbing material:	Polyester
Sternal attachment point material:	Polyester
Pole strap attachment point material:	Steel
Dorsal attachment point material:	Steel