

Data sheet

IGNITE TRION





GENERAL

Art. no.:	G-1131-S-M/XXL	E-class
EAN:	4030281230854	Custon
Standard:	EN 358:1999 EN 361:2002	

E-class number:	40-02-01-02
Customs no.:	63079098



Data sheet

IGNITE TRION

With climbing protection eyelet.

The new high-performance full body harness for industry and trade is uncomplicated and very easy to buckle on. The harness scores with extremely flexible adjustments of belt straps that are passed through the thin but effective hip padding. Due to its asymmetric shape, the padding ensures that the buckle does not exert any pressure in the abdominal area. Ergonomic eyelets are perfectly folded in at the hip without interfering. They are unfolded for use and maintain their position after snapping - if necessary throughout the day. The innovative OKTALOCK click buckles made of stainless steel include new adjustment elements that eliminate undesirable loosening of the belt strap during movement and obviate the need for readjusting during work.

Functionality and ergonomics in abundance: - asymmetric padding with integrated belt guide

- 4 buckles allow individual adjustments
- retaining eyelets fit the hip ergonomically

FEATURES

Fal	lino	dica	itor
ı aı	1111	aioc	(LOI

Shoulder or leg padding:	yes
Belt strap coiler:	yes
Hand-washing:	40 °C
Click buckles:	yes
Lanyard Parking-Rings:	yes
Max. service life:	10 Years
Max. number of persons:	1
Rated load:	140 KG

Attachment Points:

dorsal attachment point, sternal attachment point, pole strap attachment point, climbing protection eyelet

Patent	
Back support:	yes
Temperature:	from 45 °C to -35 °C

Area of application:

Construction / Roofer / Carpenter, Facade / Window Cleaning, High Rack, Metal Construction, Power Supplies / -Transmission / Telecommunications, Scaffolding, Wind Energy / Offshore Industry



DIMENSIONS

Size:	M/XXL
Waist size:	80-130cm
Weight:	2,30 kg

MATERIAL

Material:

Polyester, Aluminium, Steel

Webbing material: Polyester

Sternal attachment point material:

Aluminium

Pole strap attachment point material:

Aluminium

Dorsal attachment point material:

Aluminium

Climbing protection eyelet material:

Aluminium

Material Click buckle: Stainless Steel