

Data sheet

IGNITE NEON





GENERAL

Art. no.:	G-1153-M/XXL	E-class number:	40-02-01-02
EAN:	4030281292975	Customs no.:	63079098
Standard:	EN 358:2018 EN 361:2002 EN 813:2008		



Data sheet IGNITE NEON

The IGNITE NEON combines everything needed for a high-quality rope access harness. It has an integrated chest ascender and its own gray loops for attaching the seat board. The built-in attachment points have the IGNITE series color concept: Bright orange for the attachment points in compliance with EN 361, grays for the positioning and sitting attachment points. The high-quality, padded waist harness can be easily adjusted, as can the flexible leg connections, which have high wearing comfort because of the dual adjustment options. Once adjusted, you can depend on it to hold the desired length. Breathable and removable padding as well as the stitched belt straps in the shoulder area prevent heavy sweating or cutting into your neck. The smallest size has two gear loops, the others have four.

- Comfortable harness for rope access applications

- Integrated chest ascender with certified 140 kg

- Flexible adjustment options

FEATURES

Fall indicator		
Shoulder or leg padding:	yes	
Hand-washing:	40 °C	
Click buckles:	yes	
Synthetic Slide Plate:	yes	
Lanyard Parking-Rings:	yes	
Gear loop:	yes	
Max. service life:	10 Years	
Max. number of persons: 1		
Rated load:	140	
Attachment Points:		
dorsal attachment point, sternal attachment point,		
pole strap attachment point		
Back support:	yes	
Temperature:	from 45 °C to -35 °C	
Area of application:		
Confined Spaces, Facade / Window Cleaning, Fire		
brigade / Rescue / Special Forces, Flachdachbau,		
High Rack, Lift Construction, Rope Access /		
Rigging	· •	
Tool loop:	yes	



DIMENSIONS

Size:	M/XXL
Waist size:	106-140cm
Weight:	3,22 kg

MATERIAL

Material:

Polyester, Aluminium, Steel

 Webbing material:
 Polyester

 Sternal attachment point material:

 Aluminium

 Pole strap attachment point material:

 Aluminium

 Dorsal attachment point material:

 Aluminium

 Restraint travelling attachment point material:

 Aluminium

 Climbing protection eyelet material:

Steel

Material Click buckle: Stainless Steel