

Data sheet

DOUBLE TRI



GENERAL

Art. no.:	H-173-TRI	E-class number:	40-02-01-05
EAN:	4030281286271	Customs no.:	76169990
Standard:	EN 12275-H:2013 EN 362-B:2008		

Data sheet

DOUBLE TRI

DOUBLE TRI, the new generation of HMS carabiner with 180 ° technology and smooth triple-locking mechanism for maximum safety - push up, turn and open.

With the new carabiner series DOUBLE, SKYLOTEC has now an answer for all those who work and climb left-handed or use both hands. With the innovative design (180° spring rotation), the sleeve that closes the gate can rotate in both directions. Conventional Twist/TriLock carabiners can be turned only to the right; therefore, they are more difficult to use for left-handers. Can be used in accordance with mountaineering and industry standard.

GENERAL

Internet only:

Internat. standard:	UIAA 121
---------------------	----------

FEATURES

Breaking load, major axis:

24,00 kN

Breaking load, minor axis:

7,00 kN

Breaking load, open: 8,00 kN

Max. opening: 26 mm

Max. service life: 30 Years

Area of application: Rope Access / Rigging

DIMENSIONS

Size: 112 x 76mm

Weight: 0,09 kg

HARDWARE

Locking system: Tri

MATERIAL

Material: Aluminium
