

## Data sheet

### LOOP 35 kN



#### GENERAL

Art. no.:	L-0010-GE-4	E-class number:	40-02-01-90
EAN:	4030281088806	Customs no.:	63079098
Standard:	EN 354:2010 EN 566:2017 EN 795-B:2012		

## Data sheet

### LOOP 35 kN

Yellow strap sling with a load capacity of 35kN.  
Used in the construction industry. Can be used  
as a mobile anchor point.

The diameter of the sling is 25mm.

- Loading capacity 35kN
- Mobile anchor point
- diameter 25mm

#### GENERAL

Internat. standard:

ANSI/ASSE Z359.18-2017, CSA Z259.15-17 ED.

#### FEATURES

Breaking load, major axis:

35,00 kN

---

Diameter:	25,00 mm
-----------	----------

---

Hand-washing:	40 °C
---------------	-------

---

Max. service life:	10 Years
--------------------	----------

---

Max. number of persons:	1
-------------------------	---

---

Temperature:	from 45 °C to -35 °C
--------------	----------------------

Area of application:

Facade / Window Cleaning, Fire brigade / Rescue  
/ Special Forces, Rope Access / Rigging

#### DIMENSIONS

---

Size:	4m
-------	----

---

Weight:	0,51 kg
---------	---------

---

MATERIAL

Material: Polyamide

---