

## Data sheet

# LOOP 35 kN



### GENERAL

|           |   |                 |             |
|-----------|---|-----------------|-------------|
| Art. no.: | L-0010-SW-2                                 | E-class number: | 40-02-01-90 |
| EAN:      | 4030281090199                               | Customs no.:    | 63079098    |
| Standard: | EN 354:2010<br>EN 566:2017<br>EN 795-B:2012 |                 |             |

## Data sheet

# LOOP 35 kN

### GENERAL

Internat. standard:

ANSI/ASSE Z359.18-2017, CSA Z259.15-17 ED.

---

### FEATURES

Breaking load, major axis:

35,00 kN

---

|           |          |
|-----------|----------|
| Diameter: | 25,00 mm |
|-----------|----------|

---

|               |       |
|---------------|-------|
| Hand-washing: | 40 °C |
|---------------|-------|

---

|                    |          |
|--------------------|----------|
| Max. service life: | 10 Years |
|--------------------|----------|

---

|                         |   |
|-------------------------|---|
| Max. number of persons: | 1 |
|-------------------------|---|

---

|              |                      |
|--------------|----------------------|
| Temperature: | from 45 °C to -35 °C |
|--------------|----------------------|

---

Area of application:

Fire brigade / Rescue / Special Forces, Rope  
Access / Rigging

---

### DIMENSIONS

|       |    |
|-------|----|
| Size: | 2m |
|-------|----|

---

|         |         |
|---------|---------|
| Weight: | 0,26 kg |
|---------|---------|

---

MATERIAL

Material: Polyamide

---