


## Data sheet

# SKYSAFE PRO TIE BACK Y



## GENERAL

Art. no.:	L-0578-1,8
EAN:	4030281181590
Standard:	EN 354:2010 EN 355:2002 EN 795:2012 RFU PPE-R/11.063 V1:2018 RFU PPE-R/11.074 V1:2018

E-class number:	40-02-01-04
Customs no.:	56090000

## Data sheet

# SKYSAFE PRO TIE BACK Y

ONE4ALL – Revolutionary, patented energy absorber with the large weight range from 50kg to 140kg that always withstands a maximum impact of less than 6 kN at a maximum absorber length of 1.75m. The final impact resistance of 22 kN, also in the absorber, before AND after a fall is exceptional as well. SKYSAFE PRO also meets the most relevant international standards in a SINGLE product.

Available in four versions with different carabiner combinations: I-web, Y-web, I-web tie-back, Y-web tie-back.

### GENERAL

Internat. standard:  
ANSI Z359.13-6/12FTFF:2013, MEETS CSA  
Z259.11-05-E6:2010

---

### FEATURES

Fall indicator

---

Breaking load, major axis:  
22,00 kN

---

Hand-washing: 40 °C

---

Suitable for edges: yes

---

Max. service life: 10 Years

---

Max. number of persons: 1

---

Rated load: 140 KG

---

Patent

---

Rescue Loop: yes

---

Temperature: from 45 °C to -35 °C

---

Suspension element: BAND

---

## DIMENSIONS

Size: 1,8m

---

Weight: 1,53 kg

---

## HARDWARE

Carabiner on anchoring point side:

SNAP HOOK 23kN

---

Carabiner on belt side: KOBRA TRI

---

## MATERIAL

Material:

Polyester, Polyamide, Steel

---

Webbing material: Polyester, Polyamide

---