

Data sheet

EXPLORER 12.0



GENERAL

| | |
|-----------|----------------|
| Art. no.: | R-069-100 |
| EAN: | 4030281165866 |
| Standard: | EN 1891-A:1998 |

| | |
|-----------------|-------------|
| E-class number: | 40-02-90-06 |
| Customs no.: | 56075030 |

Data sheet

EXPLORER 12.0

The Explorer rope is extremely well suited for tree work. The very abrasion-resistant sheath is made of polyester yarn. The rope shows practically no shifting of the sheath, hardly expands at all, and can be spliced. The Explorer rope is also available with a sewn-in eyelet and a special protective sheath, so that the rope slips well when using the double-rope technique.

FEATURES

Number of standard falls:

5

| | |
|-----------|----------|
| Diameter: | 12,00 mm |
|-----------|----------|

| | |
|---------------|-------|
| Hand-washing: | 40 °C |
|---------------|-------|

Max. tensile force (EN 1891):

26,30 kN

| | |
|--------------------|----------|
| Max. service life: | 10 Years |
|--------------------|----------|

| | |
|-------------------------|---|
| Max. number of persons: | 1 |
|-------------------------|---|

| | |
|------------|------|
| Rope type: | STAT |
|------------|------|

| | |
|--------------------|--------|
| Static elongation: | 1,70 % |
|--------------------|--------|

DIMENSIONS

| | |
|-------|------|
| Size: | 100m |
|-------|------|

| | |
|---------|----------|
| Weight: | 11,54 kg |
|---------|----------|

MATERIAL

Material: Polyester
